

## 5. FREQUENCY CHARTS

## 5.1 CHANNEL TABLE (BAND C) Canada

CHANNEL NUMBER	FREQUENCY (MHz) TX	FREQUENCY (MHz) RX	TX POWER (W) HI-LO	DISPLAY READING	BAND ICON READING
01	156.050	160.650	5.0-1.0	01	C
02	156.100	160.700	5.0-1.0	02	C
03	156.150	160.750	5.0-1.0	03	C
04	156.200	156.200	5.0-1.0	04	C
05	156.250	156.250	5.0-1.0	05	C
06	156.300	156.300	5.0-1.0	06	C
07	156.350	156.350	5.0-1.0	07	C
08	156.400	156.400	5.0-1.0	08	C
09	156.450	156.450	5.0-1.0	09	C
10	156.500	156.500	5.0-1.0	10	C
11	156.550	156.550	5.0-1.0	11	C
12	156.600	156.600	5.0-1.0	12	C
13	156.650	156.650	1.0	13	C
14	156.700	156.700	5.0-1.0	14	C
15	156.750	156.750	1.0	15	C
16	156.800	156.800	5.0-1.0	16	C
17	156.850	156.850	1.0	17	C
18	156.900	156.900	5.0-1.0	18	C
19	156.950	156.950	5.0-1.0	19	C
20	157.000	161.600	1.0	20	C
21	157.050	157.050	5.0-1.0	21	C
22	157.100	157.100	5.0-1.0	22	C
23	157.150	161.750	5.0-1.0	23	C
24	157.200	161.800	5.0-1.0	24	C
25	157.250	161.850	5.0-1.0	25	C
26	157.300	161.900	5.0-1.0	26	C
27	157.350	161.950	5.0-1.0	27	C
28	157.400	162.000	5.0-1.0	28	C
60	156.025	160.625	5.0-1.0	60	C
61	156.075	16.075	5.0-1.0	61	C
62	156.125	156.125	5.0-1.0	62	C
64	156.225	156.225	5.0-1.0	64	C
65	156.275	156.275	5.0-1.0	65	C
66	156.325	156.325	1.0	66	C
67	156.375	156.375	5.0-1.0	67	C
68	156.425	156.425	5.0-1.0	68	C
69	156.475	156.475	5.0-1.0	69	C
70	NO RX only	156.525		70	C
71	156.575	156.575	5.0-1.0	71	C
72	156.625	156.625	5.0-1.0	72	C
73	156.675	156.675	5.0-1.0	73	C
74	156.725	156.725	5.0-1.0	74	C
77	156.875	156.875	1.0	77	C
78	156.925	156.925	5.0-1.0	78	C
79	156.975	156.975	5.0-1.0	79	C
80	157.025	157.025	5.0-1.0	80	C
81	157.075	157.075	5.0-1.0	81	C
82	157.125	157.125	5.0-1.0	82	C
83	157.175	157.175	5.0-1.0	83	C
84	157.225	161.825	5.0-1.0	84	C
85	157.275	161.875	5.0-1.0	85	C
86	157.325	161.925	5.0-1.0	86	C

87	157.375	161.975	5.0-1.0	87	C
88	157.425	162.025	5.0-1.0	88	C
WX1	RX only	162.550		01	W
WX2	RX only	162.400		02	W
WX3	RX only	162.475		03	W
WX4	RX only	162.425		04	W
WX5	RX only	162.450		05	W
WX6	RX only	162.500		06	W
WX7	RX only	162.525		07	W
WX8	RX only	161.650		08	W
WX9	RX only	161.775		09	W
W10	RX only	163.275		10	W

## 5.2 CHANNEL TABLE (BAND I) International

CHANNEL NUMBER	FREQUENCY (MHz) TX	FREQUENCY (MHz) RX	TX POWER (W) HI-LO	DISPLAY READING	BAND ICON READING
01	156.050	160.650	5.0-1.0	01	I
02	156.100	160.700	5.0-1.0	02	I
03	156.150	160.750	5.0-1.0	03	I
04	156.200	160.800	5.0-1.0	04	I
05	156.250	160.850	5.0-1.0	05	I
06	156.300	156.300	5.0-1.0	06	I
07	156.350	160.950	5.0-1.0	07	I
08	156.400	156.400	5.0-1.0	08	I
09	156.450	156.450	5.0-1.0	09	I
10	156.500	156.500	5.0-1.0	10	I
11	156.550	156.550	5.0-1.0	11	I
12	156.600	156.600	5.0-1.0	12	I
13	156.650	156.650	5.0-1.0	13	I
14	156.700	156.700	5.0-1.0	14	I
15	156.750	156.750	1.0	15	I
16	156.800	156.800	5.0-1.0	16	I
17	156.850	156.850	1.0	17	I
18	156.900	161.500	5.0-1.0	18	I
19	156.950	161.550	5.0-1.0	19	I
20	157.000	161.600	5.0-1.0	20	I
21	157.050	161.650	5.0-1.0	21	I
22	157.100	161.700	5.0-1.0	22	I
23	157.150	161.750	5.0-1.0	23	I
24	157.200	161.800	5.0-1.0	24	I
25	157.250	161.850	5.0-1.0	25	I
26	157.300	161.900	5.0-1.0	26	I
27	157.350	161.950	5.0-1.0	27	I
28	157.400	162.000	5.0-1.0	28	I
60	156.025	160.625	5.0-1.0	60	I
61	156.075	160.675	5.0-1.0	61	I
62	156.125	160.725	5.0-1.0	62	I
63	156.175	160.775	5.0-1.0	63	I
64	156.225	160.825	5.0-1.0	64	I
65	156.275	160.875	5.0-1.0	65	I
66	156.325	160.925	5.0-1.0	66	I
67	156.375	156.375	5.0-1.0	67	I
68	156.425	156.425	5.0-1.0	68	I
69	156.475	156.475	5.0-1.0	69	I
70	NO RX only	156.525	70	I	
71	156.575	156.575	5.0-1.0	71	I

72	156.625	156.625	5.0-1.0	72	I
73	156.675	156.675	5.0-1.0	73	I
74	156.725	156.725	5.0-1.0	74	I
75	156.775	156.775	1.0	75	I
76	156.825	156.825	1.0	76	I
77	156.875	156.875	5.0-1.0	77	I
78	156.925	161.525	5.0-1.0	78	I
79	156.975	161.575	5.0-1.0	79	I
80	157.025	161.625	5.0-1.0	80	I
81	157.075	161.675	5.0-1.0	81	I
82	157.125	161.725	5.0-1.0	82	I
83	157.175	161.775	5.0-1.0	83	I
84	157.225	161.825	5.0-1.0	84	I
85	157.275	161.875	5.0-1.0	85	I
86	157.325	161.925	5.0-1.0	86	I
87	157.375	161.975	5.0-1.0	87	I
88	157.425	162.025	5.0-1.0	88	I
WX1	RX only	162.550		01	W
WX2	RX only	162.400		02	W
WX3	RX only	162.475		03	W
WX4	RX only	162.425		04	W
WX5	RX only	162.450		05	W
WX6	RX only	162.500		06	W
WX7	RX only	162.525		07	W
WX8	RX only	161.650		08	W
WX9	RX only	161.775		09	W
W10	RX only	163.275		10	W

## 5.3 CHANNEL TABLE (BAND U) USA

CHANNEL NUMBER	FREQUENCY (MHz) TX	FREQUENCY (MHz) RX	TX POWER (W) HI-LO	DISPLAY READING	BAND ICON READING
01	156.050	156.050	5.0-1.0	01	U
03	156.150	156.150	5.0-1.0	03	U
05	156.250	156.250	5.0-1.0	05	U
06	156.300	156.300	5.0-1.0	06	U
07	156.350	156.350	5.0-1.0	07	U
08	156.400	156.400	5.0-1.0	08	U
09	156.450	156.450	5.0-1.0	09	U
10	156.500	156.500	5.0-1.0	10	U
11	156.550	156.550	5.0-1.0	11	U
12	156.600	156.600	5.0-1.0	12	U
13	156.650	156.650	1.0	13	U
14	156.700	156.700	5.0-1.0	14	U
15	RX only	156.750	5.0-1.0	15	U
16	156.800	156.800	5.0-1.0	16	U
17	156.850	156.850	5.0-1.0	17	U
18	156.900	156.900	5.0-1.0	18	U
19	156.950	156.950	5.0-1.0	19	U
20	157.000	157.000	5.0-1.0	20	U
21	157.050	156.050	5.0-1.0	21	U
22	157.100	157.100	5.0-1.0	22	U
23	157.150	157.150	5.0-1.0	23	U
24	157.200	161.800	5.0-1.0	24	U
25	157.250	161.850	5.0-1.0	25	U
26	157.300	161.900	5.0-1.0	26	U
27	157.350	161.950	5.0-1.0	27	U

28	157.400	162.000	5.0-1.0	28	U
61	156.075	156.075	5.0-1.0	61	U
62	none	none			
63	156.175	156.175	5.0-1.0	63	U
64	156.225	156.225	5.0-1.0	64	U
65	156.275	156.275	5.0-1.0	65	U
66	156.325	156.325	5.0-1.0	66	U
67	156.375	156.375	1.0	67	U
68	156.425	156.425	5.0-1.0	68	U
69	156.475	156.475	5.0-1.0	69	U
70	RX only	156.525		70	U
71	156.575	156.575	5.0-1.0	71	U
72	156.625	156.625	5.0-1.0	72	U
73	156.675	156.675	5.0-1.0	73	U
74	156.725	156.725	5.0-1.0	74	U
77	156.875	156.875	5.0-1.0	77	U
78	156.925	156.925	5.0-1.0	78	U
79	156.975	156.975	5.0-1.0	79	U
80	157.025	157.025	5.0-1.0	80	U
81	157.075	157.075	5.0-1.0	81	U
82	157.125	157.125	5.0-1.0	82	U
83	157.175	157.175	5.0-1.0	83	U
84	157.225	161.825	5.0-1.0	84	U
85	157.275	161.875	5.0-1.0	85	U
86	157.325	161.925	5.0-1.0	86	U
87	157.375	161.975	5.0-1.0	87	U
88	157.425	157.425	5.0-1.0	88	U
WX1	RX only	162.550		01	W
WX2	RX only	162.400		02	W
WX3	RX only	162.475		03	W
WX4	RX only	162.425		04	W
WX5	RX only	162.450		05	W
WX6	RX only	162.500		06	W
WX7	RX only	162.525		07	W
WX8	RX only	161.650		08	W
WX9	RX only	161.775		09	W
W10	RX only	163.275		10	W

## 5.4 CHANNEL TABLE "B" (BAND I + EXTRA CHANNELS)

CHANNEL NUMBER	FREQUENCY (MHz) TX	FREQUENCY (MHz) RX	TX POWER (W) HI-LO	DISPLAY READING	BAND ICON READING
01	156.050	160.650	5.0-1.0	01	I
02	156.100	160.700	5.0-1.0	02	I
03	156.150	160.750	5.0-1.0	03	I
04	156.200	160.800	5.0-1.0	04	I
05	156.250	160.850	5.0-1.0	05	I
06	156.300	156.300	5.0-1.0	06	I
07	156.350	160.950	5.0-1.0	07	I
08	156.400	156.400	5.0-1.0	08	I
09	156.450	156.450	5.0-1.0	09	I
10	156.500	156.500	5.0-1.0	10	I
11	156.550	156.550	5.0-1.0	11	I
12	156.600	156.600	5.0-1.0	12	I
13	156.650	156.650	5.0-1.0	13	I
14	156.700	156.700	5.0-1.0	14	I
15	156.750	156.750	1.0	15	I

---

16	156.800	156.800	5.0-1.0	16	
17	156.850	156.850	1.0	17	
18	156.900	161.500	5.0-1.0	18	
19	156.950	161.550	5.0-1.0	19	
20	157.000	161.600	5.0-1.0	20	
21	157.050	161.650	5.0-1.0	21	
22	157.100	161.700	5.0-1.0	22	
23	157.150	161.750	5.0-1.0	23	
24	157.200	161.800	5.0-1.0	24	
25	157.250	161.850	5.0-1.0	25	
26	157.300	161.900	5.0-1.0	26	
27	157.350	161.950	5.0-1.0	27	
28	157.400	162.000	5.0-1.0	28	
29	157.450	157.450	5.0-1.0	29	
30	157.475	157.475	5.0-1.0	30	
31	157.500	157.500	5.0-1.0	31	
32	157.525	157.525	5.0-1.0	32	
33	157.550	157.550	5.0-1.0	33	
34	157.575	157.575	5.0-1.0	34	
35	157.600	157.600	5.0-1.0	35	
36	157.625	157.625	5.0-1.0	36	
37	157.650	157.650	5.0-1.0	37	
38	158.925	158.925	5.0-1.0	38	
39	158.950	158.950	5.0-1.0	39	
40	158.975	158.975	5.0-1.0	40	
41	159.000	159.000	5.0-1.0	41	
42	159.050	159.050	5.0-1.0	42	
43	159.075	159.075	5.0-1.0	43	
44	159.100	159.100	5.0-1.0	44	
45	159.125	159.125	5.0-1.0	45	
46	159.175	159.175	5.0-1.0	46	
47	159.200	159.200	5.0-1.0	47	
48	159.675	159.675	5.0-1.0	48	
49	159.700	159.700	5.0-1.0	49	
50	159.725	159.725	5.0-1.0	50	
51	159.950	159.950	5.0-1.0	51	
52	159.975	159.975	5.0-1.0	52	
53	159.800	159.800	5.0-1.0	53	
54	159.825	159.825	5.0-1.0	54	
55	159.850	159.850	5.0-1.0	55	
56	159.875	159.875	5.0-1.0	56	
57	159.900	159.900	5.0-1.0	57	
58	159.925	159.925	5.0-1.0	58	
59	159.950	159.950	5.0-1.0	59	
60	156.025	160.625	5.0-1.0	60	
61	156.075	160.675	5.0-1.0	61	
62	156.125	160.725	5.0-1.0	62	
63	156.175	160.775	5.0-1.0	63	
64	156.225	160.825	5.0-1.0	64	
65	156.275	160.875	5.0-1.0	65	
66	156.325	160.925	5.0-1.0	66	
67	156.375	156.375	5.0-1.0	67	
68	156.425	156.425	5.0-1.0	68	
69	156.475	156.475	5.0-1.0	69	
70	NO RX only	156.525		70	
71	156.575	156.575	5.0-1.0	71	
72	156.625	156.625	5.0-1.0	72	
73	156.675	156.675	5.0-1.0	73	
74	156.725	156.725	5.0-1.0	74	

---

---

75	156.775	156.775	1.0	75	
76	156.825	156.825	1.0	76	
77	156.875	156.875	5.0-1.0	77	
78	156.925	161.525	5.0-1.0	78	
79	156.975	161.575	5.0-1.0	79	
80	157.025	161.625	5.0-1.0	80	
81	157.075	161.675	5.0-1.0	81	
82	157.125	161.725	5.0-1.0	82	
83	157.175	161.775	5.0-1.0	83	
84	157.225	161.825	5.0-1.0	84	
85	157.275	161.875	5.0-1.0	85	
86	157.325	161.925	5.0-1.0	86	
87	157.375	161.975	5.0-1.0	87	
88	157.425	162.025	5.0-1.0	88	
A1	157.550	162.150	5.0-1.0	A1	
A6	162.425	162.425	5.0-1.0	A6	
L1	155.500	155.500	5.0-1.0	L1	
L2	155.525	155.525	5.0-1.0	L2	
L3	155.650	155.650	5.0-1.0	L3	
F1	155.625	155.625	5.0-1.0	F1	
F2	155.775	155.775	5.0-1.0	F2	
F3	155.825	155.825	5.0-1.0	F3	
M1	157.850	157.850	5.0-1.0	H1	
M2	161.425	161.425	5.0-1.0	H2	
P0	155.450	155.450	5.0-1.0	P0	
P1	155.500	155.500	5.0-1.0	P1	
P2	155.550	155.550	5.0-1.0	P2	
P3	155.650	155.650	5.0-1.0	P3	
P4	155.750	155.750	5.0-1.0	P4	
P5	155.850	155.850	5.0-1.0	P5	
P6	155.900	155.900	5.0-1.0	P6	
P7	155.925	155.925	5.0-1.0	P7	
P8	155.950	155.950	5.0-1.0	P8	
P9	155.975	155.975	5.0-1.0	P9	